

Verona W - Bass Trap - Wall

Bass Trap RESIDENTIAL & Hi Fi

Description

With a peak absorption from 80 Hz to 120 Hz, the Wall Bass Trap offers an enriched acoustic experience, directly attenuating standing waves. The various front designs available for the Wall Bass Trap allow you to create artistic patterns when mounted on the walls of your home studio or recording room, completely indistinguishable from the Artnovion absorber range.

The Wall Bass Trap - 595 x 1190 - equivalent to 2 standard panels, is equipped with a weighted pistonic membrane enclosing a volume with a high performance acoustic core. This design allows for a precisely tuned, high performance absorption. Bringing you the maximum performance in as least space as possible.

Specifications

Chose your finish tab for more information.


Acoustic performance:

Absorption range: 80Hz to 120 Hz Tuned frequancy: 80Hz


Finishing Material:

Lacquered and W ood veneer

Technical Information




Performance





Bass Trap - Wall



artnovion

Verona W - Bass Trap - Wall

Bass Trap RESIDENTIAL & Hi Fi

Specifications


Chose your finish tab for more information.

Acoustic performance:


Absorption range: 80Hz to 120 Hz Tuned frequancy: 80Hz

Finishing Material:


Lacquered and W ood veneer



Design options



Fixing System






FixArt Tube | Inox - Plastic

Product finishes

(FG) Product Fire Grade - Furniture Grade





hello@artnov ion.com www.artnov ion.com 16/03/2019